

# Mappings between the Integrated Re-search Alps dataset and the input sources

<b>1. ScanR attribute mappings</b>	<b>2</b>
<b>2. Aramis attribute mappings</b>	<b>5</b>
<b>3. Arianna attribute mappings</b>	<b>7</b>
<b>4. CercaUniversità attribute mappings</b>	<b>9</b>
<b>5. CNR attribute mappings</b>	<b>10</b>
<b>6. FOEN attribute mappings</b>	<b>12</b>
<b>7. FWF attribute mappings</b>	<b>12</b>
<b>8. Grid attribute mappings</b>	<b>13</b>
<b>9. ORCID attribute mappings</b>	<b>14</b>
<b>10. P3 attribute mappings</b>	<b>16</b>
<b>11. Patiris attribute mappings</b>	<b>18</b>
<b>12. Questio attribute mappings</b>	<b>19</b>
<b>13. RegistrolImprese attribute mappings</b>	<b>21</b>
<b>14. Sicris attribute mappings</b>	<b>21</b>

## 1. ScanR attribute mappings

ScanR (entreprises.json, rnsr.json)	RSA model
	Organization.Id
address	Organization.Address
alias	Organization.Alias
city	Organization.City
citycode	Organization.CityCode
commercialLabel	Organization.CommercialLabel
"France"	Organization.Country
"FR"	Organization.CountryCode
creationYear	Organization.CreationYear
financePrivate.date	Organization.FinancePrivateDate
financePrivate.employees	Organization.FinancePrivateEmployees
financePrivate.revenueRange	Organization.FinancePrivateRevenueRange
type.isPublic	Organization.IsPublic
label	Organization.Label
gps.lat	Organization.Lat
gps.lon	Organization.Lon
	Organization.Nutslevel1
	Organization.Nutslevel2

	Organization.Nutslevel3
postcode	Organization.Postcode
type.code_categorie	Organization.TypeCategoryCode
type.kind	Organization.TypeKind
type.label	Organization.TypeLabel
	Organization.PrivateType
leaders.firstname	Leader.FirstName
leaders.lastname	Leader.LastName
leaders.title	Leader.Title
leaders.email	Leader.Email
links.label	Link.Label
links.type	Link.Type
links.url	Link.Url
activities.label	OrganizationActivity.Label
activities.code	OrganizationActivity.Code
activities.type	OrganizationActivity.Type
companyType.label	OrganizationType.Label
relations.acronym	OrganizationRelation.Acronym
relations.code	OrganizationRelation.Code
relations.label	OrganizationRelation.Label
relations.logo	OrganizationRelation.Logo
relations.url	OrganizationRelation.Url
badges.label	Badge.Label
badges.code	Badge.Code
spinoffFrom.label	SpinoffFrom.Label
spinoffFrom.id	SpinoffFrom.OrganizationId
id	OrganizationIdentifier.Identifier
"ScanR url"	OrganizationIdentifier.IdentifierName

<ScanR base url> + id	OrganizationIdentifier.Link
“ScanR”	OrganizationIdentifier.Provenance
institutions/parent.id	OrganizationHierarchies.Father
id	OrganizationHierarchies.Child

<b>ScanR (projets.json)</b>	<b>RSA model</b>
acronym	Project.Acronym
budget	Project.Budget
call	Project.CallId
callLabel	Project.CallLabel
description	Project.Description
duration	Project.Duration
label	Project.Label
month	Project.Month
date_debut	Project.StartDate
type	Project.Type
url	Project.Url
year	Project.Year
themes[...]	Thematic.Label
	Thematic.Code
	Thematic.ClassificationSystem
id	ProjectIdentifier.Identifier
“id”	ProjectIdentifier.IdentifierName
“ScanR”	ProjectIdentifier.Provenance
structures	ProjectOrganization.OrganizationId
	ProjectOrganization.ProjectId

ScanR (publications.json)			RSA model
summary			Publication.Description
			Publication.LocationName
			Publication.LocationType
publicationDate			Publication.PublicationDate
subtitle			Publication.Subtitle
title			Publication.Title
type			Publication.Type
link			Publication.Url
id	identifiers.thesesfr	patent	PublicationIdentifier.Identifier
"id"	"thesesfr"	"patent"	PublicationIdentifier.IdentifierName
"ScanR"	"ScanR"	"ScanR"	PublicationIdentifier.Provenance
thematics.label			Thematic.Label
thematics.code			Thematic.Code
thematics.type			Thematic.ClassificationSystem
structures			PublicationOrganization.OrganizationId
			PublicationOrganization.PublicationId

## 2. Aramis attribute mappings

Aramis (AramisExport.csv)	RSA model
STRASSE	Organization.Address
ORT	Organization.City
Derived from LAND	Organization.Country
LAND	Organization.CountryCode
FIRMA1 + FIRMA2	Organization.Label

PLZ	Organization.Postcode
-----	-----------------------

GESAMTKOSTEN_BEWILLIGT	Project.Budget
0210_Kurzbeschreibung_DE_Text_Oeff   0210_Kurzbeschreibung_FR_Text_Oeff	Project.Description
Derived from Enddatum	Project.Duration
PROJEKTTITEL_E   PROJEKTTITEL	Project.Label
Derived from STARTDATUM_EFFEKTIV	Project.Month
STARTDATUM_EFFEKTIV	Project.StartDate
Derived from STARTDATUM_EFFEKTIV	Project.Year
NABSBEZ_DE	Thematic.Label
	Thematic.Code
"NABS"	Thematic.ClassificationSystem
PROJEKTID   PROJEKTNR	ProjectIdentifier.Identifier
"PROJEKTID"   "PROJEKTNR"	ProjectIdentifier.IdentifierName
"Aramis"	ProjectIdentifier.Provenance
Derived from data format where a project has multiple participant organizations	ProjectOrganization.OrganizationId
	ProjectOrganization.ProjectId

VORNAME	Person.FirstName
NAME	Person.LastName
	Person.Title
EMAIL	Person.Email
Derived from data format where the organization participating to a project has a reference person	PersonOrganization.OrganizationId
	PersonOrganization.PersonId

### 3. Arianna attribute mappings

<b>Arianna (arianna1_soggetti_01dic17.csv)</b>	<b>RSA model</b>
INDIRIZZO	Organization.Address
COMUNE	Organization.City
"Italy"	Organization.Country
"IT"	Organization.CountryCode
Derived from CAPITALE SOCIALE and/or NATURA GIURIDICA	Organization.IsPublic
DENOMINAZIONE	Organization.Label
CAP	Organization.Postcode
NATURA GIURIDICA	OrganizationType.Label
CODICE FISCALE   CAR	OrganizationIdentifier.Identifier
"CODICE FISCALE"   "CAR"	OrganizationIdentifier.IdentifierName
	OrganizationIdentifier.Link
"Arianna"	OrganizationIdentifier.Provenance
REGIONE, PREFISSO, TELEFONO, FAX, EMAIL, CAPITALE SOCIALE	OrganizationExtraField

<b>Arianna (arianna_soggetti_01dic17_infocame re.csv)</b>	<b>RSA model</b>
DESCTOPONSEDE + VIASEDE	Organization.Address
DESCCCIAA	Organization.City
CCIAA   NREA	Organization.CityCode
"Italy"	Organization.Country
"IT"	Organization.CountryCode
DENOMINAZIONE	Organization.Label

CAPSEDE	Organization.Postcode
DESCATTIVITA   DESCATTIVITAATECO	OrganizationActivity.Label
CODATTIVITA   CODATTIVITAATECO	OrganizationActivity.Code
“Ateco”	OrganizationActivity.Type
DESCNATGIU	OrganizationType.Label

<b>Arianna (arianna_progetti_01dic17.csv)</b>	<b>RSA model</b>
COSTI AMMESSI	Project.Budget
SINTESI PROGETTO	Project.Description
DURATA MESI	Project.Duration
TITOLO PROGETTO	Project.Label
Derived from DATA INIZIO	Project.Month
DATA INIZIO	Project.StartDate
Derived from DATA INIZIO	Project.Year
CUR	ProjectIdentifier.Identifier
“CUR”	ProjectIdentifier.IdentifierName
“Arianna”	ProjectOrganization.OrganizationId
	ProjectOrganization.ProjectId
SETTORE, PROVINCIA SVOLGIMENTO, REGIONE SVOLGIMENTO, DIMENSIONE IMPRESA, COLLABORAZ PARTNER UE, COLLABORAZ ENTI PUB RICERCA	ProjectExtraField

<b>Arianna (raccordo soggetti progetti_19dic2017.csv)</b>	<b>RSA model</b>
Derived from data format	ProjectOrganization.OrganizationId

	ProjectOrganization.ProjectId
--	-------------------------------

## 4. CercaUniversità attribute mappings

<b>CercaUniversità (Atenei.csv, Dipartimenti.csv, Istituti.csv, Centri.csv)</b>	<b>RSA model</b>
Via	Organization.Address
Città	Organization.City
“Italy”	Organization.Country
“IT”	Organization.CountryCode
Derived from Privata	Organization.IsPublic
Cap	Organization.Postcode
“homepage”	Link.Label
“main”	Link.Type
Sito Web   Sito Dipartimento   Sito Istituto   Sito Centri	Link.Url
In the CSV file a parent organization is associated to multiple rows that correspond its child organizations	OrganizationHierarchies.Father
	OrganizationHierarchies.Child
Telefono, Fax	OrganizationExtraField

<b>CercaUniversità (Docenti.csv)</b>	<b>RSA model</b>
Derived from Cognome e Nome	Person.FirstName
Derived from Cognome e Nome	Person.LastName
Fascia	Person.Title
	Person.Email
Connecting “Ateneo” from Atenei.csv and “Struttura di afferenza” from Docenti.csv	PersonOrganization.OrganizationId
	PersonOrganization.PersonId

Genere, S.S.D., S.C.	PersonExtraField
----------------------	------------------

<b>CercaUniversità (Assegnisti.csv)</b>	<b>RSA model</b>
Derived from Cognome e Nome	Person.FirstName
Derived from Cognome e Nome	Person.LastName
Qualifica	Person.Title
	Person.Email
Connecting "Ateneo" from Atenei.csv and "Struttura di afferenza" from Assegnisti.csv	PersonOrganization.OrganizationId
	PersonOrganization.PersonId
Area, S.S.D., Argomento della Ricerca	PersonExtraField

## 5. CNR attribute mappings

<b>CNR (istituto.json, dipartimenti.json)</b>	<b>RSA model</b>
Informazioni.Indirizzo   indirizzo (for sub-institutions)	Organization.Address
Informazioni.sigla   istituto_denominazione_en (for sub-institutions)	Organization.Alias
sede   citta (for sub-institutions)	Organization.City
"Italy"	Organization.Country
"IT"	Organization.CountryCode
"true"	Organization.IsPublic
Denominazione   istituto_denominazione_it (for sub-institutions)	Organization.Label
Derived from Informazioni.Indirizzo   cap (for sub-institutions)	Organization.Postcode
Derived from Direttore.Name	Leader.FirstName
Derived from Direttore.Name	Leader.LastName

"Director"	Leader.Title
Direttore.E-mail	Leader.Email
"homepage"	Link.Label
"main"	Link.Type
Informazioni.Url	Link.Url
Derived from sezioni.cds (for file istituto.json) and from istituti (for file dipartimenti.json)	OrganizationHierarchies.Father
	OrganizationHierarchies.Child
Information.E-mail, Information.Fax, Information.Telefono, Missione, attivita, collaborazioni, competenze, descrizione, formazione, servizi	OrganizationExtraField
Derived from consiglio-scientifico	Person.LastName
Derived from consiglio-scientifico	Person.Title
	Person.Email

<b>CNR (ParentCNR.csv)</b>	<b>RSA model</b>
Address	Organization.Address
Acronym	Organization.Alias
City	Organization.City
Country	Organization.Country
Country Code	Organization.CountryCode
"true"	Organization.IsPublic
Denomination	Organization.Label
Postal code	Organization.Postcode
"homepage"	Link.Label
"main"	Link.Type
Website	Link.Url
Codice Fiscale   VAT code	OrganizationIdentifier.Identifier
"Codice Fiscale"   "VAT code"	OrganizationIdentifier.IdentifierName

"CNR"	OrganizationIdentifier.Provenance
-------	-----------------------------------

## 6. FOEN attribute mappings

FOEN (uid.admin.ch.json)	RSA model
Derived from organisation.contact.address.postalAddress.addressInformation.street and organisation.contact.address.postalAddress.addressInformation.houseNumber	Organization.Address
organisation.contact.address.postalAddress.addressInformation.town	Organization.City
"Switzerland"	Organization.Country
"CH"	Organization.CountryCode
organisation.organisationIdentification.organisationName	Organization.Label
organisation.contact.address.postalAddress.addressInformation._value_1.swissZipCode	Organization.Postcode

## 7. FWF attribute mappings

Fwf (fwf_projects.csv)	RSA model
research place & institute	Organization.Label
grants awarded	Project.Budget
Derived from till	Project.Duration
project title	Project.Label
from	Project.StartDate
website project	Project.Url
science discipline	Thematic.Label
	Thematic.Code

	Thematic.ClassificationSystem
project number	ProjectIdentifier.Identifier
"Project number"	ProjectIdentifier.IdentifierName
"Fwf"	ProjectIdentifier.Provenance
promotion category, project lead, web project lead, status, keywords	ProjectExtraField

## 8. Grid attribute mappings

<b>Grid (acronyms.csv, aliases.csv, geonames.csv, labels.csv, relationships.csv, addresses.csv, external_ids.csv, institutes.csv, links.csv, types.csv)</b>	<b>RSA model</b>
line_1   line_2   line_3	Organization.Address
alias	Organization.Alias
city	Organization.City
geonames_city_id	Organization.CityCode
country	Organization.Country
country_code	Organization.CountryCode
established	Organization.CreationYear
name	Organization.Label
lat	Organization.Lat
lng	Organization.Lon
nuts_level1_code	Organization.Nutslevel1
nuts_level2_code	Organization.Nutslevel2
nuts_level3_code	Organization.Nutslevel3
postcode	Organization.Postcode
type	Organization.TypeLabel
"homepage"   "Wikipedia page"	Link.Label

"main"   "Wikipedia"	Link.Type
link   wikipedia_url	Link.Url
ISNI   FundRef   Wikidata	OrganizationIdentifier.Identifier
"ISNI"   "FundRef"   "Wikidata"	OrganizationIdentifier.IdentifierName
<a href="http://www.isni.org/isni/ISNI">http://www.isni.org/isni/ISNI</a>   <a href="https://search.crossref.org/funding?q=FundRef">https://search.crossref.org/funding?q=FundRef</a>   <a href="https://www.wikidata.org/wiki/Wikidata">https://www.wikidata.org/wiki/Wikidata</a>	OrganizationIdentifier.Link
"Grid"	OrganizationIdentifier.Provenance
Derived from relationships.csv	OrganizationHierarchies.Father
	OrganizationHierarchies.Child

## 9. ORCID attribute mappings

<b>Orcid</b>	<b>RSA model</b>
orcid-profile.orcid-activities.affiliations.affiliation.organization.address.city	Organization.City
orcid-profile.orcid-activities.affiliations.affiliation.organization.address.country	Organization.Country
orcid-profile.orcid-activities.affiliations.affiliation.organization.name (for parent organizations)   orcid-profile.orcid-activities.affiliations.affiliation.organization.department-name (for child organizations)	Organization.Label
orcid-profile.orcid-activities.affiliations.affiliation.organization.disambiguated-organization.disambiguated-organization-identifier	OrganizationIdentifier.Identifier
orcid-profile.orcid-activities.affiliations.affiliation.organization.disambiguated-organization.disambiguation-source	OrganizationIdentifier.IdentifierName
	OrganizationIdentifier.Link
	OrganizationIdentifier.Provenance
Derived from department-university	OrganizationHierarchies.Father

organization	OrganizationHierarchies.Child
orcid-profile.orcid-bio.personal-details.given-names.value	Person.FirstName
orcid-profile.orcid-bio.personal-details.family-name.value	Person.LastName
	Person.Title
orcid-profile.orcid-bio.contact-details.value	Person.Email
orcid-profile.orcid-identifier.uri   orcid-profile.orcid-bio.researcher-urls.researcher-url.url.value   orcid-profile.orcid-bio.external-identifiers.external-identifier.external-id-reference.value	PersonIdentifier.Identifier
"Orcid Id"   orcid-profile.orcid-bio.researcher-urls.researcher-url.url-name.value   orcid-profile.orcid-bio.external-identifiers.external-identifier.external-id-common-name.value	PersonIdentifier.IdentifierName
"Orcid"	PersonIdentifier.Provenance

orcid-profile.orcid-activities.orcid-works.orcid-work.short-description	Publication.Description
orcid-profile.orcid-activities.orcid-works.orcid-work.journal-title.value	Publication.LocationName
orcid-profile.orcid-activities.orcid-works.orcid-work.work-type	Publication.LocationType
orcid-profile.orcid-activities.orcid-works.orcid-work.publication-date.year month day.value	Publication.PublicationDate
orcid-profile.orcid-activities.orcid-works.orcid-work.work-title.subtitle.value	Publication.Subtitle
orcid-profile.orcid-activities.orcid-works.orcid-work.work-title.title.value	Publication.Title
"publication"	Publication.Type

orcid-profile.orcid-activities.orcid-works. orcid-work.url.value	Publication.Url
orcid-profile.orcid-activities.orcid-works. orcid-work.work-external-identifiers.wor k-external-identifier.work-external-identi fier-id.value	PublicationIdentifier.Identifier
orcid-profile.orcid-activities.orcid-works. orcid-work.work-external-identifiers.wor k-external-identifier.work-external-identi fier-type	PublicationIdentifier.IdentifierName
	PublicationIdentifier.Provenance
Derived from ORCID data format where each author has a number of associated works	PublicationAuthors.PublicationId
	PublicationAuthors.PersonId

## 10. P3 attribute mappings

<b>P3 (data extracted from P3_GrantExport_with_abstracts.csv)</b>	<b>RSA model</b>
Institution Country	Organization.Country
Institution (for child)   University (for parent)	Organization.Label

<b>P3 (P3_GrantExport_with_abstracts.csv )</b>	<b>RSA model</b>
Approved Amount	Project.Budget
Abstract	Project.Description
Derived from End Date	Project.Duration
Project Title	Project.Label
Derived from Start Date	Project.Month
Start Date	Project.StartDate
Derived from Start Date	Project.Year

Discipline Name	Thematic.Label
Discipline Number	Thematic.Code
	Thematic.ClassificationSystem
Project Number	ProjectIdentifier.Identifier
“Project Number”	ProjectIdentifier.IdentifierName
“P3”	ProjectIdentifier.Provenance
Derived from file data format where an organization is associated with a Project Number	ProjectOrganization.OrganizationId
	ProjectOrganization.ProjectId
Derived from file data format where a publication is associated with a Project Number	ProjectPublications.ProjectId
	ProjectPublications.PublicationId

<b>P3 (P3_PublicationExport.csv)</b>	<b>RSA model</b>
Abstract	Publication.Description
Derived from Publication Year	Publication.PublicationDate
Title of publication	Publication.Title
Type of Publication	Publication.Type
Open Access URL	Publication.Url
Publication ID SNSF   ISBN   DOI	PublicationIdentifier.Identifier
“Publication ID SNSF”   “ISBN”   “DOI”	PublicationIdentifier.IdentifierName
“P3”	PublicationIdentifier.Provenance
Derived from Authors	PublicationAuthors.PublicationId
	PublicationAuthors.PersonId

<b>P3 (P3_PersonExport.csv)</b>	<b>RSA model</b>
First Name	Person.FirstName
Last Name	Person.LastName
	Person.Title

	Person.Email
Institution Name	PersonOrganization.OrganizationId
	PersonOrganization.PersonId
Person ID SNSF   ORCID	PersonIdentifier.Identifier
"Person ID SNSF"   "ORCID"	PersonIdentifier.IdentifierName
"P3"	PersonIdentifier.Provenance
Gender	PersonExtraField

## 11. Patiris attribute mappings

Patiris	RSA model
anagrafica_miur.via	Organization.Address
anagrafica_miur.citta	Organization.City
"Italy"	Organization.Country
"IT"	Organization.CountryCode
anagrafica_miur.ateneo	Organization.Label
anagrafica_miur.cap	Organization.Postcode
"homepage"	Link.Label
"main"	Link.Type
anagrafica_miur.sito_web	Link.Url
anagrafica_miur.id	OrganizationIdentifier.Identifier
"id"	OrganizationIdentifier.IdentifierName
	OrganizationIdentifier.Link
"Patiris"	OrganizationIdentifier.Provenance
anagrafica_miur.fax, anagrafica_miur.string_orbit, anagrafica_miur.telefono	OrganizationExtraField

patent.en_abstract	Publication.Description
patent.publication_date	Publication.PublicationDate
patent.title	Publication.Title
patent.id	PublicationIdentifier.Identifier
"id"	PublicationIdentifier.IdentifierName
"Patiris"	PublicationIdentifier.Provenance
	Thematic.Label
ipc.code	Thematic.Code
"IPC"	Thematic.ClassificationSystem
Information extracted from Patiris.pat_epr database table	PublicationOrganization.OrganizationId
	PublicationOrganization.PublicationId
Information extracted from Patiris.pat_inv database table	PublicationAuthors.PublicationId
	PublicationAuthors.PersonId

Derived from inventor.full_name	Person.FirstName
Derived from inventor.full_name	Person.LastName
	Person.Title
	Person.Email

## 12. Questio attribute mappings

Questio	RSA model
Derived from Sede	Organization.Address
Derived from Sede	Organization.City
"Italy"	Organization.Country
"IT"	Organization.CountryCode
Anno costituzione	Organization.CreationYear

	Organization.FinancePrivateDate
Totale individui	Organization.FinancePrivateEmployees
Ricavi totali	Organization.FinancePrivateRevenueRange
Partially derived from Pmi	Organization.IsPublic
Denominazione	Organization.Label
Derived from Sede	Organization.Postcode
“homepage”	Link.Label
“main”	Link.Type
Sito web	Link.Url
	OrganizationActivity.Label
Codici ateco	OrganizationActivity.Code
“Ateco”	OrganizationActivity.Type
Tipologia	OrganizationType.Label
	OrganizationRelation.Acronym
	OrganizationRelation.Code
Collaborazioni aziende aziende   Collaborazioni aziende crtt	OrganizationRelation.Label
	OrganizationRelation.Logo
	OrganizationRelation.Url

Derived from Progetti	Project.Description
Derived from Progetti	Project.Duration
Derived from Progetti	Project.Year
Derived from Questio data format where an organization participates to multiple projects	ProjectOrganization.OrganizationId
	ProjectOrganization.ProjectId

## 13. RegistroImprese attribute mappings

<b>RegistroImprese</b>	<b>RSA model</b>
comune	Organization.City
"Italy"	Organization.Country
"IT"	Organization.CountryCode
data inizio dell'esercizio effettivo dell'attività	Organization.CreationYear
"false"	Organization.IsPublic
denominazione	Organization.Label
	Organization.TypeCategoryCode
"privata"	Organization.TypeKind
nat.giuridica	Organization.TypeLabel
"homepage"	Link.Label
"main"	Link.Type
sito internet	Link.Url
attività	OrganizationActivity.Label
ateco 2007	OrganizationActivity.Code
"Ateco"	OrganizationActivity.Type
codice fiscale	OrganizationIdentifier.Identifier
"codice fiscale"	OrganizationIdentifier.IdentifierName
	OrganizationIdentifier.Link
"RegistroImprese"	OrganizationIdentifier.Provenance

## 14. Sicris attribute mappings

<b>Sicris (organizations.json)</b>	<b>RSA model</b>
------------------------------------	------------------

CONTACT.ADDR1	Organization.Address
CITY   CONTACT.CITY	Organization.City
“Slovenia”	Organization.Country
“SI”	Organization.CountryCode
NAME	Organization.Label
CONTACT.POSTALCODE	Organization.Postcode
	Organization.TypeCategoryCode
	Organization.TypeKind
STATFRM_DESCR	Organization.TypeLabel
DIR_FNAME	Leader.FirstName
DIR_LNAME	Leader.LastName
DIRFUN	Leader.Title
	Leader.Email
“homepage”	Link.Label
“main”	Link.Type
CONTACT.URL	Link.Url
FRASCATI.FIL_DESCR   CERIF.DESCR2   CORDIS.DESCR1	OrganizationActivity.Label
Derived from FRASCATI.SCIENCE, FRASCATI.FIELD and FRASCATI.SUBFIELD   Derived from CERIF.CODE1 and CERIF.CODE2   CORDIS.CODE1	OrganizationActivity.Code
“ARRS”   “CERIF”   “CORDIS”	OrganizationActivity.Type
MSTID   ORGID   RSRID	OrganizationIdentifier.Identifier
“MSTID”   “ORGID”   “RSRID”	OrganizationIdentifier.IdentifierName
	OrganizationIdentifier.Link
“Sicris”	OrganizationIdentifier.Provenance

<b>Slcris (international_projects.json,</b>	<b>RSA model</b>
---	------------------

<b>projects.json)</b>	
ABSTRACT	Project.Description
Derived from ENDDATE	Project.Duration
TITLE	Project.Label
Derived from STARTDATE	Project.Month
STARTDATE	Project.StartDate
Derived from STARTDATE	Project.Year
FRASCATI.FIL_DESCR   CERIF.DESCR2   CORDIS.DESCR1	Thematic.Label
Derived from FRASCATI.SCIENCE, FRASCATI.FIELD and FRASCATI.SUBFIELD   Derived from CERIF.CODE1 and CERIF.CODE2   CORDIS.CODE1	Thematic.Code
"ARRS"   "CERIF"   "CORDIS"	Thematic.ClassificationSystem
MSTID_PRG + MSTID_SCIENCE + MSTID_CONTR   PRJID	ProjectIdentifier.Identifier
"Project code"   "Project id"	ProjectIdentifier.IdentifierName
"Sicris"	ProjectIdentifier.Provenance
Derived from file data format where an organization is associated with multiple projects through their PROJECTS.PRJID or INTERNATIONAL.PRJID identifiers	ProjectOrganization.OrganizationId
	ProjectOrganization.ProjectId

<b>Sicris (people.json)</b>	<b>RSA model</b>
FNAME	Person.FirstName
LNAME	Person.LastName
TYPE	Person.Title
CONTACT.EMAIL	Person.Email
Derived from file data format where an organization is connected with multiple people through their EMPLOY.MSTID	PersonOrganization.OrganizationId
	PersonOrganization.PersonId

ids	
MSTID   RSRID	PersonIdentifier.Identifier
"MSTID"   "RSRID"	PersonIdentifier.IdentifierName
"Sicris"	PersonIdentifier.Provenance